

B/W Multifunction Printer

# MP 401SPF

Copier  Printer  Facsimile  Scanner



MP 401SPF

40 B/W  
ppm

## Compact, powerful and amazing value

The MP 401SPF is designed with small to medium sized workgroups in mind. Its high performance, compact and powerful features mean this A4 black and white MFP gives you the best cost per page value available in its class – and this is combined with superior energy efficiency too. You can print up to 40 black-and-white pages per minute from this multifunction device as well as copy, scan, and fax. In fact, you'll be amazed by how much you can do with this compact and affordable device.

- Perfect for a small/medium workgroup's complete workflow
- Save money with low Total Cost of Ownership
- Easy-to-use 4.3 inch colour touch panel
- Offers 1200 x 1200dpi at full speed
- Print direct from USB-stick



# Small footprint. Big output.

## Perfectly proportioned

This capable and quiet device can handle a small to medium sized workgroup's complete workflow, while offering the smallest footprint in its range. So you can put it in a corner – or on a desk - of your office and the only thing you'll notice is its stunning capabilities.



## The highest quality output everytime

With 1200 x 1200 dpi at full speed, this MFP saves time without compromising on quality. And, you can even print direct from portable media: simply insert a USB memory stick or an SD card and print without a PC or a network connection. Or, use your smartphone or tablet to print without the need for additional software or drivers for fast output on the go.



## State-of-the-art

The icon based 4.3 inch touch panel offers easy operation, extended software capabilities and allows you to manage your documents via the cloud directly from the panel. Its software capabilities include integration with Streamline NX, Flexrelease NX, ELP, and our Smart Device Print & Scan mobile app.



## Optimise workflow with Streamline NX

For an enterprise solution, integrate Streamline NX, a powerful suite of scalable, integrated document management applications and tools, that can deliver a standardised intelligent solution in every office, globally. The combination of our hardware and software can help you realise operational cost savings of up to 40% whilst also supporting security, compliance and sustainability objectives.



# MP 401SPF

## MAIN SPECIFICATIONS

### GENERAL

Warm-up time:	14 seconds
First output speed:	5.2 seconds
Continuous output speed:	40 pages per minute
Memory:	Standard: 1,024 MB Maximum: 1,536 MB
HDD:	Option: 320 GB
Dimensions (W x D x H):	419 x 427 x 484 mm
Weight:	23 kg
Power source:	220 - 240 V, 50/60 Hz

### COPIER

Copying process:	Dry, single component & electro-photographic printing
Multiple copying:	Up to 99 copies
Resolution:	600 x 600 dpi
Zoom:	From 25% to 400% in 1% steps

### PRINTER

Printer language:	Standard (PCL5e, PCL6, Adobe® PostScript® 3™), Option (XPS)
Print resolution:	Maximum (1,200 x 1,200 dpi)
Interface:	Standard (USB 2.0, Ethernet 10 base-T/100 base-TX, Ethernet 1000 Base-T), Option (Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n), Bluetooth)
Network protocol:	TCP/IP (IP v4, IP v6), IPX/SPX (option)
Windows® environments:	Windows® Vista, Windows® 7, Windows® 8, Windows® Server 2003, Windows® Server 2008, Windows® Server 2012
Mac OS environments:	Macintosh OS X v10.5 or later
UNIX environments:	UNIX Sun® Solaris (2.6, 2.7, 2.8, 2.9, 2.10), HP-UX (10.x, 11.x, 11i v2, 11i v3), SCO OpenServer (5.0.6, 5.0.7, 6.0), RedHat® Linux Enterprise (4, 5, 6), IBM® AIX (5L v5.3, 5L v6.1, 5L v7.1)

### SCANNER

Scanning speed:	Full colour: Maximum 30 originals per minute B/W: Maximum 30 originals per minute
Resolution:	Standard: 100 - 600 dpi Default: 200 dpi
Original size:	A4
Bundled drivers:	Network TWAIN
Scan to:	E-mail, Folder, FTP, URL (Option), NCP (Option)

### FAX

Circuit:	PSTN, PBX
Compatibility:	G3
Resolution:	8 x 3.85 line/mm, 200 x 200 dpi
Compression method:	MH MR MMR JBIG
Transmission speed:	2 second(s) (200 x 100 dpi, JBIG)
Modem speed:	Maximum: 33.6 Kbps
Scanning speed:	2.4 second(s) ADF used: spm
Memory capacity:	Standard: 4 MB
Memory backup:	Yes: 12 hour

### PAPER HANDLING

Recommended paper size:	Standard paper tray(s): A4, A5, A6, B5, B6 Bypass tray: A4, A5, A6, B5, B6
Paper input capacity:	Standard: 600 sheets Maximum: 1,600 sheets
Paper output capacity:	Standard: 250 sheets
Paper weight:	Paper tray(s): 52 - 162 g/m <sup>2</sup> Bypass tray: 52 - 162 g/m <sup>2</sup> Duplex: 52 - 162 g/m <sup>2</sup>

### ECOLOGY

Power consumption:	Maximum: 1,140 W Ready mode: 97.2 W or less Sleep mode: 0.72 W TEC (Typical Electricity Consumption): 1,759 Wh
--------------------	-------------------------------------------------------------------------------------------------------------------------

### OPTIONS

Paper tray (1 x 250-sheet paper tray, 1 x 500-sheet paper tray), Medium cabinet, High cabinet, Hard Disk Drive (320 GB), RAM (1.5 GB), Bi-directional IEEE 1284, Wireless LAN (IEEE 802.11a/b/g/n), Bluetooth, VM Card, Netware, Browser unit, Counter interface, File format converter, Copy Data Security Unit, Unicode Font Package for SAP, OCR Unit, XPS direct print

### CONSUMABLES

Starter toner:	Black: 18,000 prints
Toner cartridge (ultra high yield):	Black: 18,000 prints
Consumable yield measuring method	ISO/IEC 19752

*For availability of models, options and software, please consult your local Gestetner supplier.*



RICOH @Remote

**Gestetner**

[www.gestetner.com](http://www.gestetner.com)

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2016 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.